

RAVE FILTECH PRIVATE LIMITED - PRODUCT RANGE / DETAILS

S N	Product Name	MOC Details & Temperature Range	Micron Ratings	Length / Diameter in Inches	End Fittings / Collar Type	Remarks / Applications
1	Thread Wound Cartridge Filter [For Liquids]	<ul style="list-style-type: none"> - PP with PP Core (Upto 65 Deg C) - Cotton with SS Core (Upto 125 Deg C) - Glass Fiber with SS Core (Upto 300 Deg C) 	1, 5, 10, 20	10"/ 20"/ 30"/ 40"/ 50" x 2.50" & 10"/20" x 4.50"	DOE Type (BOE Type)	<ul style="list-style-type: none"> - RO / WTP for pre-filtration - Chemicals
2	Melt Blown Cartridge Filter [For Liquids]	<ul style="list-style-type: none"> - PP Without Core (2 to 60 Deg C) - PP With PP Core (2 to 60 Deg C) 	1, 5, 10	10"/ 20"/ 30"/ 40"/ 50" x 2.50" & 10"/20" x 4.50"	DOE Type (BOE Type) Code - 7 (226 Type) Code - 6 (222 Type)	<ul style="list-style-type: none"> - RO / WTP for pre-filtration - General Filtration Purpose
3	Pleated Cartridge Filter [For Liquids]	<ul style="list-style-type: none"> - PP (Poly Propylene) (Upto 80 Deg C) - PES (Poly Ether Sulfone) (Upto 80 Deg C) - Nylon (Upto 80 Deg C) 	0.20, 0.45. 1, 5, 10	10"/20"/30" x 2.5" (69 mm)	DOE Type (BOE Type) Code - 7 (226 Type) Code - 6 (222 Type)	For Process Applications in : <ul style="list-style-type: none"> - Food & Beverage - Distillery - Brewery - Pharma - Chemicals
4	Pleated Cartridge Filter [For Air Filtration]	<ul style="list-style-type: none"> - PTFE (Poly Tetra Fluoro Ethylene) (Upto 80 Deg C) 	0.20, 0.45. 1, 5, 10	10"/20"/30" x 2.5" (69 mm)	DOE Type (BOE Type) Code - 7 (226 Type) Code - 6 (222 Type)	Used For : <ul style="list-style-type: none"> - Air Vent Filter - Sterile Air Filtration
5	Bag Filters [For Liquid Filtration]	<ul style="list-style-type: none"> - PP - Nylon 	5, 10, 25, 50, 100	4" x 8" / 4" x 17" 7" x 17" / 7" x 32"	<ul style="list-style-type: none"> - Welded Plastic Collar - Metal Ring Collar - (Welded or Stitched on Length 	Used For : <ul style="list-style-type: none"> - Pre Filtration with high flow rate & low pressure drop but holding capacity is low - WTP & WWTP - Chemical Filtration - Paint Filtration in Automobile Industry
6	Activated Carbon Filter	<ul style="list-style-type: none"> - GAC (Granular Activated Carbon) Filter - CTO (Carbon Block) Filter - CFF (Carbon Fiber Filter) 		10"x2.5"/ 10"x4.5" 20"x2.5"/ 20"x4.5"	DOE Type (BOE Type)	Used For : <ul style="list-style-type: none"> - Chlorine - Color - Taste - Odor / Smell - Hydrocarbons